
REFERENCES

- Ahmed, I., & Kasraian, K. (2002). Pharmaceutical challenges in veterinary product development. *Advanced Drug Delivery Reviews*, 54(6), 871-882.
- Alexandridou, S., Kiparissides, C., Fransaer, J. & Celis, J.P. (1995). On the synthesis of oil-containing microcapsules and their electrolytic codeposition. *Surface and Coatings Technology*, 71(3), 267-276.
- Allcock, H.R. (1990). In *Biodegradable Polymers as Drug Delivery Systems*; Chasin, M., Langer, R. (Ed); Marcel Dekker: New York.
- Allémann, E., Leroux, J.-C. & Gurny, R. (1998). Polymeric nano- and microparticles for the oral delivery of peptides and peptidomimetics. *Advanced Drug Delivery Reviews*, 34(2-3), 171-189.
- Amiji, M. & Park, K. (1993). Surface modification of polymeric biomaterials with poly(ethylene oxide), albumin, and heparin for reduced thrombogenicity. *Journal of Biomaterials Science, Polymer Edition*, 4, 217-234.
- Amsden, B. (1999). The production of uniformly sized polymer microspheres. *Pharmaceutical Research*, 16(7), 1140-1143.
- Anderson, J.M. & Shive, M.S. (1997). Biodegradation and biocompatibility of PLA and PLGA microspheres. *Advanced Drug Delivery Reviews*, 28(1), 5.
- Atkins, T.W., Peacock, S.J. & Yates, D.J. (1998). Incorporation and release of vancomycin from poly(D,L-lactide-co-glycolide) microspheres. *Journal of Microencapsulation*, 15(1), 31 - 44.
- Bai, X.-L., Yang, Y.-Y., Chung, T.-S., Ng, S. & Heller, J. (2001). Effect of polymer compositions on the fabrication of poly(ortho-ester) microspheres for controlled release of protein. *Journal of Applied Polymer Science*, 80(10), 1630-1642.

- Bamford, C.H. & Al-Lamee, K.G. (1994). Studies in polymer surface functionalization and grafting for biomedical and other applications. *Polymer*, 35(13), 2844-2852.
- Benedetti, L., Bertucco, A. & Pallado, P. (1997). Production of micronic particles of biocompatible polymer using supercritical carbon dioxide. *Biotechnology and Bioengineering*, 53(2), 232-237.
- Berkland, C., Kim, K. & Pack, D.W. (2001). Fabrication of PLG microspheres with precisely controlled and monodisperse size distributions. *Journal of Controlled Release*, 73(1), 59-74.
- Bhattacharya, A., Das, A. & De, A. (1998). Structural Influence on grafting of acrylamide based monomers on cellulose acetate. *Indian Journal of Chemical Technology*, 5, 135-138.
- Bodmeier, R. & McGinity, J.W. (1987). The preparation and evaluation of drug-containing poly(dl-lactide) microspheres formed by the solvent evaporation method. *Pharmaceutical Research*, 4(6), 465-471.
- Bodmeier, R. & Chen, H. (1988a). Preparation of biodegradable poly(lactide) microparticles using a spray drying technique. *J. Pharmacy and Pharmacology*, 40, 754-757.
- Bodmeier, R. & McGinity, J.W. (1988b). Polylactic acid microspheres containing quinidine base and quinidine sulphate prepared by the solvent evaporation method. III. Morphology of the microspheres during dissolution studies. *Journal of Microencapsulation*, 5(4), 325 - 330.
- Bodmeier, R. & McGinity, J.W. (1988c). Solvent selection in the preparation of poly(dl-lactide) microspheres prepared by the solvent evaporation method. *International Journal of Pharmaceutics*, 43(1-2), 179-186.
- Boyes, S.G., Granville, A.M., Baum, M., Akgun, B., Mirous, B.K. & Brittain, W.J. (2004). Polymer brushes--surface immobilized polymers. *Surface Science*, 570(1-2), 1-12.
- Brannon-Peppas, L. (1997). Polymers in controlled drug delivery. *Medical Plastic Biomaterials*, 4, 34-44.
- Brunauer, S., Emmett, P.H. & Teller, E. (1938). Adsorption of gases in multimolecular layers. *Journal of the American Chemical Society*, 60(2), 309-319.
- Candau, F., (1985). Microemulsion polymerization. In: Mark, H.F., Bikales, N.M., Overberger, C.G., Menges, G., Kroschwitz, J.I. (Ed), *Encyclopedia of Polymer Science and Engineering*, 2nd edn. John Wiley and Sons, New York, pp. 719-723.
- Canelas, D. & DeSimone, J. (1997). Polymerizations in liquid and supercritical carbon dioxide. In *Metal Complex Catalysts Supercritical Fluid Polymerization Supramolecular Architecture*, pp. 103-140.

- Carino, P.G., Jacob, J.S., Chen, C.J., Santos, C.A., Hertzog, B.A., Mathiowitz, E. (1999). Bioadhesive, bioerodible polymers for increased intestinal uptake. In: Mathiowitz, E., Chickering, D.E., Lehr, C.M. (Ed), *Bioadhesive Drug Delivery Systems – Fundamentals, Novel Approaches and Development '98*. Marcel Dekker, New York, pp. 459–475.
- Castner, D.G. & Ratner, B.D. (2002). Biomedical surface science: Foundations to frontiers. *Surface Science*, 500(1-3), 28-60.
- Chang, T.M. (1964). Semipermeable microcapsules. *Science*, 146, 524-525.
- Chen-Yang, Y.W., Liao, J.D., Kau, J.Y., Huang, J., Chang, W.T. & Chen, C.W. (2000). Surface modifications of expanded poly(tetrafluoroethylene) sheets assisted by CO₂ antenna coupling microwave plasma. *Macromolecules*, 33(15), 5638-5643.
- Chen, J., Iwata, H., Maekawa, Y., Yoshida, M. & Tsubokawa, N. (2003). Grafting of polyethylene by [gamma]-radiation grafting onto conductive carbon black and application as novel gas and solute sensors. *Radiation Physics and Chemistry*, 67(3-4), 397-401.
- Chickering, D., Jacob, J. & Mathiowitz, E. (1996). Poly(fumaric-co-sebacic) microspheres as oral drug delivery systems. *Biotechnology and Bioengineering*, 52(1), 96-101.
- Childs, R. F., Mika, A. M., Pandey, A. K., McCrory, C., Mouton, S. & Dickson, J. M. (2001). Nanofiltration using pore-filled membranes: effect of polyelectrolyte composition on performance. *Separation and Purification Technology*, 22-23, 507-517.
- Choi, H.-S., Kim, Y.-S., Zhang, Y., Tang, S., Myung, S.-W. & Shin, B.-C. (2004). Plasma-induced graft co-polymerization of acrylic acid onto the polyurethane surface. *Surface and Coatings Technology*, 182(1), 55-64.
- Chu, L.-Y., Liang, Y.-J., Chen, W.-M., Ju, X.-J. & Wang, H.-D. (2004). Preparation of glucose-sensitive microcapsules with a porous membrane and functional gates. *Colloids and Surfaces B: Biointerfaces*, 37(1-2), 9-14.
- Chu, L.-Y., Niitsuma, T., Yamaguchi, T. & Nakao, S.-I. (2003). Thermoresponsive transport through porous membranes with grafted PNIPAM gates. *American Institute of Chemical Engineers. AIChE Journal*, 49(4), 896.
- Chu, L.-Y., Park, S.-H., Yamaguchi, T. & Nakao, S.-I. (2001). Preparation of thermo-responsive core-shell microcapsules with a porous membrane and poly(N-isopropylacrylamide) gates. *Journal of Membrane Science*, 192(1-2), 27-39.
- Coessens, V., Pintauer, T. & Matyjaszewski, K. (2001). Functional polymers by atom transfer radical polymerization. *Progress in Polymer Science*, 26(3), 337-377.

- Crotts, G. & Park, T.G. (1995). Preparation of porous and nonporous biodegradable polymeric hollow microspheres. *Journal of Controlled Release*, 35(2-3), 91-105.
- Cussler, E.L., Gillberg-LaForce, G.E., Sansone, M.J. & Schisla, D.K. (1992). Process for making microporous membranes having gel-filled pores, and separations methods using such membranes, US Patent 5,160,627
- Daniels, A.U., Chang, M.K.O., Andriano, K.P. & Heller, J. (1990). Mechanical properties of biodegradable polymers and composites proposed for internal fixation of bone. *Journal of Applied Biomaterials*, 1(1), 57-78.
- Desai, S.J., Simonelli, A.P. & Higuchi, W.I. (1965). Investigation of factors influencing release of solid drug dispersed in inert matrices. *Journal Of Pharmaceutical Sciences*, 54(10), 1459-1464.
- Edlund, U. & Albertsson, A.-C. (2000). Morphology engineering of a novel poly-(L-lactide)/poly(1,5-dioxepan-2-one) microsphere system for controlled drug delivery. *Journal of Polymer Science Part A: Polymer Chemistry*, 38(5), 786-796.
- Edlund, U. & Albertsson, A.C. (1999). Novel drug delivery microspheres from poly(1,5-dioxepan-2-one-co-L-lactide). *Journal of Polymer Science Part A: Polymer Chemistry*, 37(12), 1877-1884.
- Ehrenkranz, J.R.L., Lewis, N.G., Kahn, C.R. & Roth, J. (2005). Phlorizin: a review. *Diabetes/Metabolism Research and Reviews*, 21(1), 31-38.
- El-Sherif, D.M. & Wheatley, M.A. (2003). Development of a novel method for synthesis of a polymeric ultrasound contrast agent. *Journal of Biomedical Materials Research Part A*, 66A(2), 347-355.
- Engelberg, I. & Kohn, J. (1991). Physico-mechanical properties of degradable polymers used in medical applications: A comparative study. *Biomaterials*, 12(3), 292-304.
- Folkman, J. & Long, D.M. (1964). The use of silicone rubber as a carrier for prolonged drug therapy. *The Journal of Surgical Research*, 71, 139-142.
- Galaev, I.Y. & Mattiasson, B. (1999). 'Smart' polymers and what they could do in biotechnology and medicine. *Trends in Biotechnology*, 17(8), 335-340.
- Gancarz, I., Pozniak, G., Bryjak, M. & Frankiewicz, A. (1999). Modification of polysulfone membranes. 2. Plasma grafting and plasma polymerization of acrylic acid. *Acta Polymerica*, 50(9), 317-326.
- Garcia, F.G., Pinto, M.R. & Soares, B.G. (2002). Grafting of polymethyl methacrylate from poly(ethylene-co-vinylacetate) copolymer using atom transfer radical polymerization. *European Polymer Journal*, 38(4), 759-769.
- Ghaderi, R., Stureson, C. & Carlfors, J. (1996). Effect of preparative parameters on the characteristics of poly(L-lactide-co-glycolide) microspheres made by

- the double emulsion method. *International Journal of Pharmaceutics*, 141(1-2), 205-216.
- Gong, X.C., Luo, G.S., Yang, W.W. & Wu, F.Y. (2006). Separation of organic acids by newly developed polysulfone microcapsules containing triethylamine. *Separation and Purification Technology*, 48(3), 235-243.
- Gupta, P., Vermani, K. & Garg, S. (2002). Hydrogels: from controlled release to pH-responsive drug delivery. *Drug Discovery Today*, 7(10), 569-579.
- Harfoot, C. (1978a). Anatomy, physiology and microbiology of the ruminant digestive tract. *Progress in Lipid Research*, 17, 1-19.
- Harfoot, C. (1978b). Lipid metabolism in the rumen. *Progress in Lipid Research*, 17, 21-54.
- Heller, J. (1993). Poly (ortho esters). In *Biopolymers I*, pp. 41-92.
- Heller, J., Chang, A.C., Rood, G. & Grodsky, G.M. (1990). Release of insulin from pH-sensitive poly(ortho esters). *Journal of Controlled Release*, 13(2-3), 295-302.
- Heller, J., Ng, S.Y., Penhale, D.W., Fritzingler, B.K., Sanders, L.M., Bruns, R.A. Gaynon, M.G. & Bhosale, S.S. (1987). Use of poly(ortho esters) for the controlled release of 5-fluorouracyl and a LHRH analogue. *Journal of Controlled Release*, 6(1), 217-224.
- Hennink, W.E. & van Nostrum, C.F. (2002). Novel crosslinking methods to design hydrogels. *Advanced Drug Delivery Reviews*, 54(1), 13-36.
- Herrmann, J. & Bodmeier, R. (1995a). The effect of particle microstructure on the somatostatin release from poly(lactide) microspheres prepared by a W/O/W solvent evaporation method. *Journal of Controlled Release*, 36(1-2), 63-71.
- Herrmann, J. & Bodmeier, R. (1995b). Somatostatin containing biodegradable microspheres prepared by a modified solvent evaporation method based on W/O/W-multiple emulsions. *International Journal of Pharmaceutics*, 126(1-2), 129-138.
- Higuchi, A., Shirano, K., Harashima, M., Yoon, B.O., Hara, M., Hattori, M., & Kazuo, I. (2002). Chemically modified polysulfone hollow fibers with vinylpyrrolidone having improved blood compatibility. *Biomaterials*, 23(13), 2659-2666.
- Hoffman, A.S. (2002). Hydrogels for biomedical applications. *Advanced Drug Delivery Reviews*, 43(1), 3-12.
- Hollahan, J.R. & Bell, A.T. (1974). *Techniques and applications of plasma chemistry*. New York: John Wiley & Sons.
- Hong, S.C., Pakula, T. & Matyjaszewski, K. (2001). Preparation of polyisobutene-graft-poly(methyl methacrylate) and polyisobutene-graft-

- polystyrene with different compositions and side chain architectures through atom transfer radical polymerization (ATRP). *Macromolecular Chemistry and Physics*, 202(17), 3392-3402.
- Hsueh, C.-L., Peng, Y.-J., Wang, C.-C. & Chen, C.-Y. (2003). Bipolar membrane prepared by grafting and plasma polymerization. *Journal of Membrane Science*, 219(1-2), 1-13.
- Huang, Y.-Y., Chung, T.-W. & Tzeng, T.-W. (1997). Drug release from PLA/PEG microparticulates. *International Journal of Pharmaceutics*, 156(1), 9-15.
- Huffman, K.R. & Casey, D.J. (1985). Effect of carboxyl end groups on hydrolysis of polyglycolic acid. *Journal of Polymer Science: Polymer Chemistry Edition*, 23(7), 1939-1954.
- Ikada, Y. (1994). Surface modification of polymers for medical applications. *Biomaterials*, 15(10), 725-736.
- Ishihara, K., Fukumoto, K., Iwasaki, Y. & Nakabayashi, N. (1999). Modification of polysulfone with phospholipid polymer for improvement of the blood compatibility. Part 1. Surface characterization. *Biomaterials*, 20(17), 1545-1551.
- Ito, Y., Park, Y.S. & Imanishi, Y. (1997). Visualization of critical pH-controlled gating of a porous membrane grafted with polyelectrolyte brushes. *Journal of the American Chemical Society*, 119(11), 2739-2740.
- Iwata, H., Hirata, I. & Ikada, Y. (1998). Atomic force microscopic analysis of a porous membrane with pH-sensitive molecular valves. *Macromolecules*, 31(11), 3671-3678.
- Jalil, R. & Nixon, J.R. (1989). Microencapsulation using poly(L-lactic acid) I: Microcapsule properties affected by the preparative technique. *Journal of Microencapsulation*, 6(4), 473 - 484.
- Jalil, R. & Nixon, J.R. (1990a). Biodegradable poly(lactic acid) and poly(lactide-co-glycolide) microcapsules: Problems associated with preparative techniques and release properties. *Journal of Microencapsulation*, 7(3), 297-325.
- Jalil, R. & Nixon, J.R. (1990b). Microencapsulation using poly (L-lactic acid) II: Preparative variables affecting microcapsule properties. *Journal of Microencapsulation*, 7(1), 25 - 39.
- Jeffery, H., Davis, S.S. & O'Hagan, D.T. (1991). The preparation and characterisation of poly(lactide-co-glycolide) microparticles. I: Oil-in-water emulsion solvent evaporation. *International Journal of Pharmaceutics*, 77(2-3), 169-175.
- Jeyanthi, R., Thanoo, B.C., Metha, R.C. & Deluca, P.P. (1996). Effect of solvent removal technique on the matrix characteristics of polylactide/glycolide

- microspheres for peptide delivery. *Journal of Controlled Release*, 38(2-3), 235-244.
- Ji, H. & De Gennes, P.G. (1993). Adhesion via connector molecules: The many-stitch problem. *Macromolecules*, 26(3), 520-525.
- Joanny, J.F. (1992). Lubrication by molten polymer brushes. *Langmuir*, 8(3), 989-995.
- Kapur, V., Charkoudian, J.C., Kessler, S.B. & Anderson, J.L. (1996). Hydrodynamic permeability of hydrogels stabilized within porous membranes, *Industrial and Engineering Chemistry Research*, 35, 3179-3185.
- Kawaguchi, H. (2000). Functional polymer microspheres. *Progress in Polymer Science*, 25(8), 1171-1210.
- Kelton, W. (2008) A scalable method for the production of pH responsive polyamide microcapsules for drug delivery. ME thesis, University of Canterbury, New Zealand.
- Kohn, J. & Langer, R. (1987). Polymerization reactions involving the side chains of .alpha.-L-amino acids. *Journal of the American Chemical Society*, 109(3), 817-820.
- Kost, J. (1999). Intelligent drug delivery systems. In E. Mathiowitz (Ed.), *Encyclopaedia of Controlled Drug Delivery*. (pp. 445-459). New York: John Wiley & Sons.
- Kung, F.-C. & Yang, M.-C. (2006). The effect of covalently bonded conjugated linoleic acid on the reduction of oxidative stress and blood coagulation for polysulfone hemodialyzer membrane. *International Journal of Biological Macromolecules*, 38(3-5), 157-164.
- Langer, R. (1990). New methods of drug delivery. *Science*, 249, 1527-1533.
- Langer, R. (1998). Drug delivery and targeting. *Nature: Therapeutic Horizons*, 392(6679), 5-10.
- Langer, R. (1999). Selected advances in drug delivery and tissue engineering. *Journal of Controlled Release*, 62(1-2), 7-11.
- Langer, R. (2000). Biomaterials: Status, challenges, and perspectives. *AIChE Journal*, 46(7), 1286-1289.
- Langer, R. (2001). Drugs on target. *Science*, 293(5527), 58-9.
- Langer, R. & Peppas, N.A. (2003). Advances in Biomaterials, Drug Delivery, and Bionanotechnology. *AIChE Journal*, 49(12), 2990-3006.
- Lanza, R. P.; Langer, R.; Chick, W. L. (1997) *Principles of Tissue Engineering*. Austin, TX: R G Landes Co. and Academic Press.

- Leach, K. (1999). Effect of manufacturing conditions on the formation of double-walled polymer microspheres. *Journal of Microencapsulation*, 16(2), 153 - 167.
- Lee, S.-D., Hsiue, G.-H. & Wang, C.-C. (1994). Characterization of plasma-induced graft polymerization of 2-hydroxyethyl methacrylate onto silicone rubber. *Journal of Applied Polymer Science*, 54(9), 1279-1287.
- Leong, K.W., Brott, B.C. & Langer, R. (1985). Bioerodible polyanhydrides as drug-carrier matrices. I: Characterization, degradation, and release characteristics. *Journal of Biomedical Materials Research*, 19(8), 941-955.
- Leong, K.W., D'Amore, P., Marletta, M. & Langer, R. (1986). Bioerodible polyanhydrides as drug-carrier matrices. II. Biocompatibility and chemical reactivity. *Journal of Biomedical Materials Research*, 20(1), 51-64.
- Li, W.-I., Anderson, K.W. & Deluca, P.P. (1995). Kinetic and thermodynamic modeling of the formation of polymeric microspheres using solvent extraction/evaporation method. *Journal of Controlled Release*, 37(3), 187-198.
- Li, W.-I., Anderson, K.W., Mehta, R.C. & Deluca, P.P. (1995). Prediction of solvent removal profile and effect on properties for peptide-loaded PLGA microspheres prepared by solvent extraction/ evaporation method. *Journal of Controlled Release*, 37(3), 199-214.
- Lim, F. & Moss, R.D. (1981). Microencapsulation of living cells and tissues. *Journal of Pharmaceutical Sciences*, 70(4), 351-354.
- Lorenzo-Lamosa, M.L., Cuna, M., Vila-Jato, J.L., Torres, D. & Alonso, M.J., (1997). Development of a microencapsulated form of cefuroxime axetil using pH-sensitive acrylic polymers. *Journal of Microencapsulation*. 14, 607-616.
- Lorenzo-Lamosa, M.L., Remunan-Lopez, C., Vila-Jato, J.L. & Alonso, M.J. (1998). Design of microencapsulated chitosan microspheres for colonic drug delivery. *Journal of Controlled Release*, 52(1-2), 109-118.
- Lu, Z., Liu, G. & Duncan, S. (2005). Morphology and permeability of membranes of polysulfone-graft-poly(tert-butyl acrylate) and derivatives. *Journal of Membrane Science*, 250(1-2), 17-28.
- Lynn, D.M., Amiji, M.M. & Langer, R. (2001). pH-responsive polymer microspheres: rapid release of encapsulated material within the range of intracellular pH. *Angewandte Chemie International Edition*, 40(9), 1707-1710.
- Ma, G.H., Nagai, M. & Omi, S. (1999). Effect of lauryl alcohol on morphology of uniform polystyrene-poly(methyl methacrylate) composite microspheres prepared by porous glass membrane emulsification technique. *Journal of Colloid and Interface Science*, 219(1), 110-128.

- Mackor, E.L. (1951). A theoretical approach of the colloid-chemical stability of dispersions in hydrocarbons. *Journal of Colloid Science*, 6(5), 492-495.
- Mansky, P., Liu, Y., Huang, E., Russell, T.P. & Hawker, C. (1997). Controlling polymer-surface interactions with random copolymer brushes. *Science*, 275(5305), 1458-1460.
- Mason, N., Thies, C. & Cicero, T.J. (1976). In vivo and in vitro evaluation of a microencapsulated narcotic antagonist. *Journal of Pharmaceutical Science*, 65(6), 847-850.
- Mathiowitz, E. (1999). *Encyclopedia of controlled drug delivery*. New York: Wiley-Interscience.
- Mathiowitz, E., Amato, C., Dor, P. & Langer, R. (1990). Polyanhydride microspheres: 3. Morphology and characterization of systems made by solvent removal. *Polymer*, 31(3), 547-555.
- Mathiowitz, E. & Cohen, M.D. (1989). Polyamide microcapsules for controlled release. I. Characterization of the membranes. *Journal of Membrane Science*, 40(1), 1-26.
- Mathiowitz, E. & Jacob, J.S. (1997). Biologically erodable microspheres as potential oral drug delivery systems. *Nature*, 386(6623), 410.
- Mathiowitz, E. & Langer, R. (1987). Polyanhydride microspheres as drug carriers I. Hot-melt microencapsulation. *Journal of Controlled Release*, 5(1), 13-22.
- Matyjaszewski, K., Teodorescu, M., Miller, P.J. & Peterson, M.L. (2000). Graft copolymers of polyethylene by atom transfer radical polymerization. *Journal of Polymer Science Part A: Polymer Chemistry*, 38(13), 2440-2448.
- Matyjaszewski, K. & Xia, J. (2001). Atom transfer radical polymerization. *Chemical Reviews*, 101(9), 2921-2990.
- Merkli, A., Heller, J., Tabatabay, C. & Gurny, R. (1995). The use of acidic and basic excipients in the release of 5-fluorouracil and mitomycin C from a semi-solid bioerodible poly(ortho ester). *Journal of Controlled Release*, 33(3), 415-421.
- Michigan State University. (2004). *Polymer*. Retrieved October 8, 2004, from <http://www.cem.msu.edu/~reusch/VirtualText/polymers.htm>.
- Mika, A.M., Childs, R.F. & Dickson, J.M. (1999). Chemical valves based on poly(4-vinylpyridine)-filled microporous membranes. *Journal of Membrane Science*, 153(1), 45-56.
- Mika, A.M., Childs, R.F. & Dickson, J.M. (2002). Salt separation and hydrodynamic permeability of a porous membrane filled with pH-sensitive gel. *Journal of Membrane Science*, 206(1-2), 19-30.

- Mika, A.M., Childs, R. F., Dickson, J.M., McCarry, B E. & Gagnon, D.R. (1995). A new class of polyelectrolyte-filled microfiltration membranes with environmentally controlled porosity. *Journal of Membrane Science*, 108(1-2), 37-56.
- Mika, A.M., Childs, R.F., West, M. & Lott, J.N.A. (1997). Poly(4-vinylpyridine)-filled microfiltration membranes: physicochemical properties and morphology. *Journal of Membrane Science*, 136(1-2), 221-232.
- Milner, S.T. (1991). *Science*, 251, 905.
- Murthy, N., Campbell, J., Fausto, N., Hoffman, A.S. & Stayton, P.S. (2003). Design and synthesis of pH-responsive polymeric carriers that target uptake and enhance the intracellular delivery of oligonucleotides. *Journal of Controlled Release*, 89(3), 365-374.
- Narayan P, Wheatley M.A. (1999). Preparation and characterization of hollow microcapsules for use as ultrasound contrast agents. *Polymer Engineering Science*, 39: 2242-2255.
- Nishihama, S., Nishimura, G., Hirai, T. & Komazawa, I. (2004). Separation and recovery of Cr(VI) from simulated plating waste using microcapsules containing quaternary ammonium salt extractant and phosphoric acid extractant. *Industrial and Engineering Chemistry Research*, 43(3), 751-757.
- Oehr, C., Müller, M., Elkin, B., Hegemann, D. & Vohrer, U. (1999). Plasma grafting -- a method to obtain monofunctional surfaces. *Surface and Coatings Technology*, 116-119, 25-35.
- Oh, J.E., Nam, Y. S., Lee, K.H. & Park, T.G. (1999). Conjugation of drug to poly(dl,-lactic-co-glycolic acid) for controlled release from biodegradable microspheres. *Journal of Controlled Release*, 57(3), 269-280.
- Omi, S., Kanetaka, A., Shimamori, Y., Supsakulchai, A., Nagai, M. & Ma, G.H. (2001). Magnetite (Fe₃O₄) microcapsules prepared using a glass membrane and solvent removal. *Journal of Microencapsulation*, 18(6), 749 - 765.
- Paik, H.-J., Gaynor, S.G. & Matyjaszewski, K. (1998). Synthesis and characterization of graft copolymers of poly(vinyl chloride) with styrene and (meth)acrylates by atom transfer radical polymerization. *Macromolecular Rapid Communications*, 19(1), 47-52.
- Park, J.Y., Acar, M.H., Akthakul, A., Kuhlman, W. & Mayes, A.M. (2006). Poly-sulfone-graft-poly(ethylene glycol) graft copolymers for surface modification of polysulfone membranes. *Biomaterials*, 27(6), 856-865.
- Pavanetto, F., Genta, I., Giunchedi, P. & Conti, B. (1993). Evaluation of spray drying as a method for polylactide and polylactide-co-glycolide microsphere preparation. *Journal of Microencapsulation*, 10(4), 487-497.
- Pekarek, K J., Jacob, J.S. & Mathiowitz, E. (1994). One-step preparation of double-walled microspheres. *Advanced Materials*, 6(9), 684-687.

- Pell, A.N., Welch, J.G. & Wu, S.H. (1988). Movement of plastic pellets in the reticulo-rumen of cattle. *Journal of Controlled Release*, 8(1), 39-44.
- Peppas, N. A. (2003). Gels for Drug Delivery. *Encyclopedia of Materials: Science and Technology*. pp. 3492-3495. Oxford: Elsevier Science Ltd.
- Peppas, N.A., Keys, K.B., Torres-Lugo, M. & Lowman, A.M. (1999). Poly (ethylene glycol)-containing hydrogels in drug delivery. *Journal of Controlled Release*, 62(1-2), 81-87.
- Peppas, N.A. & Langer, R. (1994). New challenges in biomaterials. *Science*, 263, 1715-1720.
- Piirma, I. (1985). Colloids. In H.F. Mark, N.M. Bikales, C.G. Overberger, G. Menges & J.I. Kroschwitz (Ed), *Encyclopedia of Polymer Science and Engineering*, 2nd edn. pp. 125–130. New York: John Wiley and Sons.
- Pistel, K.F., Bittner, B., Koll, H., Winter, G. & Kissel, T. (1999). Biodegradable recombinant human erythropoietin loaded microspheres prepared from linear and star-branched block copolymers: Influence of encapsulation technique and polymer composition on particle characteristics. *Journal of Controlled Release*, 59(3), 309-325.
- Poncin-Epaillard, F., Brosse, J.C. & Falher, T. (1997). Cold plasma treatment: Surface or bulk modification of polymer films? *Macromolecules*, 30(15), 4415-4420.
- Poncin-Epaillard, F., Médard, N. & Soutif, J.-C. (2000). Reactivity of surface groups attached on a plasma treated poly(propylene) film. Application to a new concept of a chelating membrane. *Macromolecular Chemistry and Physics*, 201(2), 212-219.
- Qiu, Y. & Park, K. (2001). Environment-sensitive hydrogels for drug delivery. *Advanced Drug Delivery Reviews*, 53(3), 321-339.
- Rathbone, M.J. & Martinez, M. (2004). Veterinary drug delivery: Part VI. *Advanced Drug Delivery Reviews*, 56(10), 1339-1344.
- Rathbone, M.J. & Martinez, M.N. (2002). Modified release drug delivery in veterinary medicine. *Drug Discovery Today*, 7(15), 823-829.
- Rathbone, M.J., Witchev-Lakshmanan, L. & Ciftci, K. (1999). Veterinary applications. In E. Mathiowitz (Ed.), *Encyclopaedia of Controlled Drug Delivery*. pp. 1006-1034, New York: John Wiley & Sons.
- Ratner, B. D. (1995). Surface modification of polymers: chemical, biological and surface analytical challenges. *Biosensors and Bioelectronics*, 10(9-10), 797-804.
- Research and Markets. (2009). *World Animal Health Markets*. Retrieved August 19, 2009, from <http://www.researchandmarkets.com/reports/c78795>.

- Russell, K.E. (2002). Free radical graft polymerization and copolymerization at higher temperatures. *Progress in Polymer Science*, 27(6), 1007-1038.
- Shim, J.K., Lee, Y.B. & Lee, Y.M. (1999). pH-dependent permeation through polysulfone ultrafiltration membranes prepared by ultraviolet polymerization technique. *Journal of Applied Polymer Science*, 74(1), 75-82.
- Simons, R., Zuccon, J., Dickson, M.R. & Shaw, M. (1993). Pervaporation and evaporation characteristics of a new type of ion exchange membrane. *Journal of Membrane Science*, 78(1-2), 63-67.
- Smolders, C.A., Reuvers, A.J., Boom, R.M. & Wienk, I.M. (1992). Microstructures in phase-inversion membranes. Part 1. Formation of macrovoids. *Journal of Membrane Science*, 73(2-3), 259-275.
- Södergård, A. (1998). Preparation of poly(ϵ -caprolactone)-co-poly(acrylic acid) by radiation-induced grafting. *Journal of Polymer Science Part A: Polymer Chemistry*, 36(11), 1805-1812.
- Soga, K.G., Zuckermann, M.J. & Guo, H. (1996). Binary Polymer Brush in a Solvent. *Macromolecules*, 29(6), 1998-2005.
- Strover, H.D. H. & Li, K. (1996). Dispersion polymerization. In *Polymer Materials Encyclopedia*. pp. 1900–1905, Boca Raton: CRC Press.
- Szwarc, M. (1998). Living polymers. Their discovery, characterization, and properties. *Journal of Polymer Science Part A: Polymer Chemistry*, 36(1), ix-xv.
- Szleofer, I. & Carignano, M.A. (1996). *Advances in Chemical Physics*, 94, 165.
- Takei, Y G., Aoki, T., Sanui, K., Ogata, N., Sakurai, Y. & Okano, T. (1994). Dynamic contact angle measurement of temperature-responsive surface properties for poly(n-isopropylacrylamide) grafted surfaces. *Macromolecules*, 27(21), 6163-6166.
- Tamber, H., Johansen, P., Merkle, H. P., & Gander, B. (2005). Formulation aspects of biodegradable polymeric microspheres for antigen delivery. *Advanced Drug Delivery Reviews*, 57(3), 357-376.
- The-infoshop.com. (2009). *The future of the US animal health and nutrition market*. Retrieved August 19, 2009, from http://www.the-infoshop.com/study/pjb22785_animal_health.html
- Tonge, S.R. & Tighe, B.J. (2001). Responsive hydrophobically associating polymers: a review of structure and properties. *Advanced Drug Delivery Reviews*, 53(1), 109-122.
- Tracy, M.A. (1998). Development and scale-up of a microsphere protein delivery system. *Biotechnology Progress*, 14(1), 108-115.

- Ulbricht, M. & Riedel, M. (1998). Ultrafiltration membrane surfaces with grafted polymer 'tentacles': Preparation, characterization and application for covalent protein binding. *Biomaterials*, 19(14), 1229-1237.
- Ulbricht, M., Riedel, M. & Marx, U. (1996). Novel photochemical surface functionalization of polysulfone ultrafiltration membranes for covalent immobilization of biomolecules. *Journal of Membrane Science*, 120(2), 239-259.
- Ulbricht, M. (2006). Advanced functional polymer membranes. *Polymer*, 47(7), 2217-2262.
- Vainionpää, S., Rokkanen, P. & Törmälä, P. (1989). Surgical applications of biodegradable polymers in human tissues. *Progress in Polymer Science*, 14(5), 679-716.
- van der Waarden, M. (1950). Stabilization of carbon-black dispersions in hydrocarbons. *Journal of Colloid Science*, 5(4), 317-325.
- Velten, U., Shelden, R.A., Caseri, W.R., Suter, U.W. & Li, Y. (1999). Polymerization of styrene with peroxide initiator ionically bound to high surface area mica. *Macromolecules*, 32(11), 3590-3597.
- Weissman, J.M., Sunkara, H.B., Tee, A. S. & Asher, S.A. (1996). Thermally switchable periodicities and diffraction from mesoscopically ordered materials. *Science*, 274, 959-965.
- Wenzel, A., Yanagishita, H., Kitamoto, D., Endo, A., Haraya, K., Nakane, T., Hanai, N., Matsuda, H., Koura, N. Kamusewitz, H. & Paul, D. (2000). Effects of preparation condition of photoinduced graft filling-polymerized membranes on pervaporation performance. *Journal of Membrane Science*, 179(1-2), 69-77.
- Wichterle, O. & Lim, D. (1960). Hydrophilic gels for biological use. *Nature*, 185(4706), 117-118.
- Winzenburg, G., Schmidt, C., Fuchs, S., & Kissel, T. (2004). Biodegradable polymers and their potential use in parenteral veterinary drug delivery systems. *Advanced Drug Delivery Reviews*, 56(10), 1453-1466.
- Witschi, C. & Doelker, E. (1998). Influence of the microencapsulation method and peptide loading on poly(lactic acid) and poly(lactic-co-glycolic acid) degradation during in vitro testing. *Journal of Controlled Release*, 51(2-3), 327-341.
- Yamaguchi, T., Yamahara, S., Nakao, S.-I. & Kimura, S. (1994). Preparation of pervaporation membranes for removal of dissolved organics from water by plasma-graft filling polymerization. *Journal of Membrane Science*, 95(1), 39-49.

- Yang, M.C. & Lin, W.C. (2002). The grafting of chitosan oligomer to polysulfone membrane via ozone-treatment and its effect on anti-bacterial activity. *Journal of Polymer Research*, 9(2), 135-140.
- Yang, W.W., Luo, G.S. & Gong, X.C. (2005). Polystyrene microcapsules containing Aliquat 336 as a novel packing material for separation of metal ions. *Hydrometallurgy*, 80(3), 179-185.
- Yang, Y.-Y., Chung, T.-S., Bai, X.-L. & Chan, W.-K. (2000). Effect of preparation conditions on morphology and release profiles of biodegradable polymeric microspheres containing protein fabricated by double-emulsion method. *Chemical Engineering Science*, 55(12), 2223-2236.
- Zhang, J., Yuan, J., Yuan, Y., Shen, J. & Lin, S. (2003). Chemical modification of cellulose membranes with sulfo ammonium zwitterionic vinyl monomer to improve hemocompatibility. *Colloids and Surfaces B: Biointerfaces*, 30(3), 249-257.
- Zhang, Y., Wang, W., Feng, Q., Cui, F. & Xu, Y. (2006). A novel method to immobilize collagen on polypropylene film as substrate for hepatocyte culture. *Materials Science and Engineering: C*, 26(4), 657-663.
- Zhao, B. & Brittain, W.J. (1999). Synthesis of tethered polystyrene-block-poly(methyl methacrylate) monolayer on a silicate substrate by sequential carbocationic polymerization and atom transfer radical polymerization. *Journal of the American Chemical Society*, 121(14), 3557-3558.
- Zhao, X. & Harris, J.M. (1998). Novel degradable poly(ethylene glycol) hydrogels for controlled release of protein. *Journal of Pharmaceutical Sciences*, 87, 1450-1458.
- Zignani, M., Merkli, A., Sintzel, M.B., Bernatchez, S.F., Kloeti, W., Heller, J., Tabatabay, C., Gurny, R. (1997). New generation of poly(ortho esters): synthesis, characterization, kinetics, sterilization and biocompatibility. *Journal of Controlled Release*, 48(2-3), 115-129.